## Royalston Historic District Commission

Royalston, Massachusetts, 01368

		Application for Co	ertificate	•
Applicant Name(s)	Mark a	nd Gia Smit	<del>_</del>	
Address of Property_	7 S.	Royalston R	ad	
Owner's Name	same			
Address of Owner:	StreetP	0. Box 5		
***	City, State, Zip	Hoyalston,	MA 01368	Phone: <u>908-249-462</u> 9
sketo addit appli	th including dimensitional documents. Of cation to a commission	ons, measurements, exact nly one change request pe	colors, materials, etc. r application. Return e returned to you). If	e precise details of changes. A must be included. Attach any four copies of the completed f you have any questions, please n Clerk).
Please check the certifi	icate applied for: propriateness	□Non-Applicabi	lity	□Hardship
Description of changes	s (attach additional s	heets and exhibits if neces	sary):	
Fidest	31de.	workshop Replacement enlargema	t of exi	
		For Office Use Or	Signatur	e
Date Received		Date Accepted	•	lic Hearing    Abutter notices
· · · · · · · · · · · · · · · · · · ·	···-	- 2.0		

## **Application Details – 7 South Royalston Road (Smith)**

Decking, 2-Car Garage and Workshop

#### Deck

Deck Dimensions (Diagram A) – 3 Sections (attached)  $16' \times 29'$ ,  $12' \times 24'$  and  $6' \times 15'$ . Decking material to be Trex Winchester Grey with Trex White Artisian Railing System (Diagram B). Height of Deck will 5 feet at far east point and approximately 3 feet as grade rises to the west. Framing of deck will be conventional  $2\times10$  and  $2\times12$  PT boards with associated concrete piers. All framing will be hidden by lattice work.

Lattice: Open area under deck will be covered with white, diagonal, vinyl, 1 ¼" opening privacy lattice framed with 1 x 3's painted white. Deck will be cantilevered with a 12" setback from edge of decking.

Stairs will match the material of the deck, the will be 4 foot wide, 6 ½" rise and 11" treads. Height of stairs will depend upon final grade of after construction. (They will be very close to 4 feet in height) Perimeter boards to be installed around entire deck. (Note: that fine details of deck will not be noticeable from a public way) Railings will match deck railings.

Post lamps P5485-31EB (diagram C) will be installed at 3 locations as noted on diagram A. A HPF electronic ballast with 42w lamp max. will be used. Post lamps match in style carriage lights P5684-21 already approved and mounted on house (photo D). (Note: fine details of lights can not be determined from a public way)

Garage (see attached diagrams for dimensions)

2 black Carriage lights P5684-21 to match lights already approved and mounted on house. (same as above)

Clapboarding and trim to match existing attached structures. White 6" trim, 12" overhand soffit with 1 1/2" quarter round trim.

Roof with metal drip edge and 3 tab black blend shingles to match existing. Note: building has been designed so that the roofline matches the line of the original building. Also, front height of building (10') matches original building. Aluminum step flashing will be used where the roof meets the west side of the house. Standard aluminum flashing will be used where roof meets the north side of house.

Two windows, 25" x 60" 9/9 white vinyl replacement windows to match existing. Installed into original 1700's plank window frames from house. White trim paint.

Two rear (north) windows to be 24" square 2/2 vinyl windows to match existing. Trimmed white to match.

Loft door to match barn loft doors. 4' wide x 5' high, constructed with 6" t&g boards, painted yellow to match. White trim around to match barn loft.

Concrete foundation with 6" reveal. Yellow painted cedar clapboards with 4" overlap to ground less 6" reveal. No bottom trim.


Building to have 5 ½" edge trim all around to match existing. Same trim board to be used where addition meets house.


18' garage door, Clopay Coachman Series, insulated steel door, white with black hinging. (photo E) Trimmed in white to match.

French doors on east side of addition not subject to approval.


Double slider doors on back (north side) to be installed and match appearance of same doors on house. (see photo F) 11' 9 3/4" x 6' 8" H, White pine, high performance glass, each door with 10 lites 2 over 5, brass hardware and screen doors. Threshold oak painted white. All trim white to match.


2 black Carriage lights P5684-21 (for double sliers) to match lights already approved and mounted on house. (same as above)







...






ļ





REAR VIEW





Product Information Deck Ideas Photo Gallery Warranty & Care Trade Professionals About Trex Investor Relations

>>SEARCH

Find Trex Near You: Contractor Zipcode:

>> SEARCH

#### **Product Information**

What Is Trex®? Decking

## Railing Systems

#### Artisan Series

Designer Series Traditional Series

Landscape Edging

Product & Installation Guide

FAQs

Request Information

How to Buy Trex

Home



## **Product Information**

### TREX ARTISAN SERIES RAILING™





Trex Artisan Series Railing™ is a bold and dignified look for those who want to set their deck apart — a classic white railing set against a Trex deck. Our composite Artisan Series Railing sets the standard for aesthetics, whether you choose the traditional look of white balusters or the contemporary look of glass paneling. Crafted from a durable PVC composite, Trex Artisan Series Railing has a lightly textured surface that is welcoming to the touch and enhances the elegant appearance of the deck. Seamless design and immaculate attention to detail make Trex Artisan Series Railing a quality addition to any deck.

- Easy Assembly precisely tooled to fit together quickly for the do-ityourselfer or contractor.
- Low Maintenance durable, weatherproof composite is easy to keep clean.
- · Finished Quality innovative design prevents vibrations, squeaks and
- Safety sturdy railing system lends additional safety in the outdoor environment.

Initial availability only in the mid-atlantic and northeast region beginning March 1.


Click here to see Trex Artisan Series Railing component details.

Click here for installation details.

Home | Products | Deck Ideas | Warranty & Care | Trade Professionals | Investors | Contact Us | Site Map

Ireland | Norge | United Kingdom

© Copyright 2005 Trex Company, Inc. All rights reserved Privacy Policy Terms of Use



Welbourne cast aluminum lanterns feature delicately detailed, cast scroll arms combined with the brilliant clarity of clear, beveled glass.









P5582-31

Product No.	Finish	Description	Size	Ballast	Lamp(s)	
P5485-31EB	Textured Black	One-light cast post lantern. White glass chimney	13" dia., 26" ht. Fits 3" post (order separately).	120V/277V HPF electronic	1 26w, 32w or 42w 4-pin Quad compact fluorescent. GX24q-3/-4 base	C
P5486-31	Textured Black	One-light cast HPS post lantern. White glass chimney.	13" dia., 26" ht. Fits 3" post (order separately).	120V NPF magnetic	1 100w high pressure sodium E17 lamp	a
P5886-31	Textured Black	One-light cast wall lantern. White glass chimney.	9-1/2" W., 31-1/4" ht. Extends 10-1/2"; H/CTR 19".	120V/227V HPF electronic	1 26w, 32w or 42w 4-pin Quad compact fluorescent. GX24q-3/-4 base	Q

Candelabra base



High Pressure Sodium E17



4-pin Quad Compact Fluorescent



Notes

Additional chain available on available on page 180. H/CTR = Height from center of J-box to top of fixture. Posts and other mounting accessories on page 460.



Energy efficient fluorescent HPF - Available upon request.







# DOORS OF DISTINCTION

a garage door, which can comprise as much as 30 percent of the facade of a house, has a dramatic effect on your home's appearance. So there's no easier or more affordable way to add instant curb appeal than by upgrading an way to add instant curb appeal than by upgrading an average door with a striking, architecturally distinct door. Clopay garage doors, available through The Home Depot, offer a breadth of stylish options at surprisingly affordable prices.









